


BUILDING HEIGHT




MANSARD ROOF




HIP ROOF



GAMBREL ROOF




GABLE ROOF



H=HEIGHT OF BUILDING C=CURB LEVEL OR TENTATIVE CURB LEVEL GRADE


LOT WIDTH AND LOT DEPTH EXPLAINED



LOT WIDTH is the horizontal distance between the side lot lines of a lot, measured at the narrowest width within the first 30 feet of lot depth immediately in back of the front yard setback line.

LOT DEPTH is the mean horizontal distance between the front lot line and the rear lot line of a lot, measured within the lot boundaries.

OFFSTREET PARKING - DESIGN REQUIREMENTS




SCREENING FROM RESIDENCE -5 FEET MINIMUM LIGHTING DIRECTED INWARD


0

(3)


RESIDENTIAL PLANNED DEVELOPMENT



REQUIRED YARDS -- ILLUSTRATED




TRANSITIONAL YARDS




Ø

SIGNS - TYPES




MANUFACTURING PLANNED DEVELOPMENT




BUILDINGS-PRINCIPAL AND ACCESSORY

R4 DISTRICT




B2 DISTRICT



BUSINESS PLANNED DEVELOPMENT SHOPPING CENTER RETAI /////// # #-AUTOMOTIVE SERVICE

FENCES, WALLS, AND OTHER STRUCTURES IN YARDS HEIGHT LIMITS -- ILLUSTRATED



EXAMPLE OF LOT TYPES


7


C

(3)

(P)

(3)





CORNER LOT

is a lot abutting on two streets at their intersection, where the angle of intersection is not more than 135 degrees.

REVERSED CORNER LOT

is a corner lot the street side lot line of which is substantially a continuation of the front lot line of the first lot to its rear.

INTERIOR LOT is a lot other than a corner or reversed corner lot.

THROUGH LOT

is a lot having a pair of opposite lot lines along two more or less parallel public streets. On a through lot both street lines shall be deemed front lot lines.